CONTENTS

Infrared spectra of carbonyl complexes of Fe(II) phthalocyanine and Fe(II) salen in low temperature matrices
L.M. Proniewicz, T. Kuroi and K. Nakamoto (Milwaukee, WI, U.S.A.) 1
A Raman spectroscopic study of nickel(II) acetate, $Ni(CH_3COO)_2$ and its aqueous and methanolic solutions
R.I. Bickley, H.G.M. Edwards, S.J. Rose (Bradford, Gt. Britain) and R. Gustar (Crawley, Gt. Britain) 15
The Raman spectrum of ethanesulphonic acid, $C_2H_5SO_3H$, and the ethanesulphonate ion
H.G.M. Edwards and D.N. Smith (Bradford, Gt. Britain) 27
Vibrational studies of the disulfide group in proteins. Part III. A simplified ab initio force field for diethyl disulfide and SS and CS stretch frequency–conformation correlations for diisobutyl disulfide
W.-Y. Zhao, J. Bandekar and S. Krimm (Ann Arbor, MI, U.S.A.) 43
Determination of the nucleosidic structural parameters by means of DNA vibrational markers
M. Ghomi, R. Letellier and E. Taillandier (Bobigny, France) 55
Thermal decomposition of 1,3-dithietane 1,3-dioxide and infrared spectrum of matrix-isolated sulfine
E. Suzuki, R. Ishiguro and F. Watari (Morioka, Japan) 71
Charge shift of absorbed pyridazine molecules to the silver electrode surface at various applied voltages as interpreted from the surface enhanced Raman intensities
G. Wu (Beijing, China) 79
Phenol–retinal Schiff base hydrogen bonds–influence of steric hindrance and phenol acidity on the thermodynamic data of formation and proton transfer
B. Brzezinski and J. Olejnik (Poznan, Poland) and G. Zundel (Munich, F.R.G.) 89
Rotational isomerism in 1,2-diphenyltetrafluoroethane
Y.L. Lam, Y.S. Chong and H.H. Huang (Singapore) 101
Infrared spectroscopic characterization of 1 : 1 molecular complexes of SO_2 with benzene and related conjugated electron donors in argon matrices
B.S. Ault (Cincinnati, OH, U.S.A.) 111
Conformational properties of asymmetrically substituted mono-, di- and trisulfides: solid and liquid phase Raman spectra
M.T. Devlin (Bethesda, MD, U.S.A.), G. Barany and I.W. Levin (Minneapolis, MN, U.S.A.) 119
Vibrational analysis of different isomers of oxalyldihydrazide and the crystal structure of the "*trans-trans*" form
F. Quaeyhaegens and H.O. Desseyn (Antwerpen, Belgium), B. Bracke and A.T.H. Lenstra (Wilrijk, Belgium) 139
Infrared and Raman spectra, conformational stability, vibrational assignment and normal coordinate analysis of methyltrifluoromethyldiselenide and bis(trifluoromethyl)diselenide
J.D. Odom, A.M. Boccanfuso, M. Mamula Bergana, T.S. Little and J.R. Durig (Columbia, SC, U.S.A.) 159
Far infrared spectrum, barrier to internal rotation, r_0 structure, and ab initio calculations for acetyl cyanide
S. Bell (Dundee, Gt. Britain), G.A. Guirgis, J. Lin and J.R. Durig (Columbia, SC, U.S.A.) 183
Torsional vibrations and barriers to internal rotation for ethanol and 2,2,2-trifluoroethanol
J.R. Durig and R.A. Larsen (Columbia, SC, U.S.A.) 195
Infrared matrix isolation of the 1 : 1 complexes of HCl and ClF with sulfur and nitrogen-containing macrocycles
H. Bai and B.S. Ault (Cincinnati, OH, U.S.A.) 223
A theoretical and experimental investigation of *Z, E* stereoisomerism in some simple lignin *p*-quinone methides
H. Konschin (Helsinki, Finland), J. Jakobsons (Riga, U.S.S.R.) and S.M. Shevchenko (Leningrad, U.S.S.R.) 231

Conformational analysis of thiophene analogs of propranolol
C. Corral, R. Donoso, J. Elguero, P. Goya, J. Lissavetsky and I. Rozas (Madrid, Spain) 245
Molecular mechanics calculations on muscarinic agonists
H. Kooijman, J.A. Kanters and J. Kroon (Utrecht, The Netherlands) 253
The gas-phase structure of PF_2OCH_3, determined by combined analysis of electron diffraction and rotational data
M.J. Davis, D.W.H. Rankin and S. Cradock (Edinburgh, Gt. Britain) 273
Molecular spectra and structure of acyl ammonium salts
E.V. Titov, V.I. Rybachenko and C.Ju. Chotiy (Donetsk, U.S.S.R.) 289
Static and dynamic stereochemistry of *ortho*-bridged diarylsulphones
P. Finocchiaro, F. Bonsignore (Catania, Italy), E. Libertini (Potenza, Italy), A.B. Newton and D.T. Clark (Cleveland, Gt. Britain) 307
Conformation and conformational energies of dimethoxymethane and 1,1-dimethoxyethane
A. Abe, K. Inomata, E. Tanisawa and I. Ando (Tokyo, Japan) 315
Conformational analysis of enalapril (MK- 421) in solution by ^1H and ^{13}C NMR
Y. Sakamoto, Y. Sakamoto, I. Oonishi and T. Ohmoto (Chiba, Japan) 325
The preferential direction of enolization of some asymmetric 1,3-dicarbonyl compounds in solution: a study by multinuclear NMR spectroscopy
C.F.G.C. Geraldes, M.T. Barros (Coimbra, Portugal), C.D. Maycock (Lisbon, Portugal) and M.I. Silva (Coimbra, Portugal) 335
^{13}C NMR chemical shift and conformation of β-benzyl L-aspartate residues in copolymers of β-benzyl L-aspartate and L-alanine in solution
S. Tuzi, I. Ando (Tokyo, Japan), A. Shoji and T. Ozaki (Gunma, Japan) 347
Crystal structure and vibrational spectroscopic studies of the 2,7-dimethylthieno[2,3-c:5,4-c']dipyridinium diiodide monohydrate salt and its radical monocation
S.H.R. Brienne, R.H. Barton, G.R. Clark, R.P. Cooney, C.E.F. Rickard (Auckland, New Zealand) and L.A. Summers (Newcastle, N.S.W., Australia) 357
N–H···Nsp^2 hydrogen interactions in organic crystals
A.L. Llamas Saiz and C. Foces-Foces (Madrid, Spain) 367
On the antitumor effectiveness of aziridinocyclophosphazenes: crystal and molecular structure of the non-active 2,2-bis(1-aziridinyl)-4,4,6,6-tetrachlorocyclotriphosphazene, *gem*-$N_3P_3Az_2Cl_4$
F. Sournies, G. Guerch, J.-F. Labarre and J. Jaud (Toulouse, France) 383
The structure and conformation of [1,1'-bipyrrolidine]-2,2'-dithione
J.P. Michael, D.G. Billing, J.C.A. Boeyens, L. Carlton, L. Denner and I.A. Hindmarch (Wits, South Africa) 391
Crystal and molecular structure of the dihydrate of the artificial sweetener lactitol: 4-O-β-D-galactopyranosyl-D-glucitol.$2H_2O$
J.A. Kanters, A. Schouten (Utrecht, The Netherlands) and M. van Bommel (Eindhoven, The Netherlands) 403
X-ray and ^1H-NMR spectroscopic studies of the structures and conformations of the new nootropic agents RU-35929, RU-47010 and RU-35965
M.E. Amato (Catania, Italy), G. Bandoli and U. Casellato (Padova, Italy), G.C. Pappalardo (Catania, Italy) and E. Toja (Milan, Italy) 413

Short communications

Molekulares GeS_2: Matrix-IR-Untersuchungen und ab initio SCF-Rechnungen
R. Koppe und H. Schnockel (München, B.R.D.) 429
The molecular stucture of octamethylcyclotetrasilane, $Si_4(CH_3)_8$, from gas electron diffraction
V.S. Mastryukov, S.A. Strelkov, L.V. Vilkov (Moscow, U.S.S.R.), M. Kolonits, B. Rozsondai (Budapest, Hungary), H.G. Schuster and E. Hengge (Graz, Austria) 433
Conformation of some biologically active di- and tri-substitued ureas
B. Hadjieva, V. Kalcheva and B. Galabov (Sofia, Bulgaria) 439

Author index 445
Subject index 446